

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.		Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.	
Monterey Do Montreal Munich Nagaya Do Do Do Naples Newcastle-on-Tyne Odessa Ottawa Do Palermo Para Do Paris Penang Pent Said Quebec Rotterdam St. Petersburg San Luis Potosi Do Do Do Singapore Do	Apr. 29 Apr. 8 Apr. 15 May 13 Apr. 29 Apr. 15 do Apr. 22 Apr. 29	100,000 450,000 597,000 402,101 593,729 290,360 \$6,000 86,000 340,000 185,000 2,846,986 248,207 52,811 85,000 428,944 1,907,708 82,964	58 54 130 186 140 105 119 	2 6 17 35 6 11 27 20 2 4 9 6 5 5 226 13 4 140 10 4 8 8 33 24		1 1		3 1 1 9 4 9 4 9	4 1	1 1 1 2 3 11 2 11 2 2 2 2 2	3 3 1 1 1 1 3 , 12	1 2 1 2 1 2 1 7 1 7	1 1 4 2 1 30 24 9	14 10 6 2 2	

MORTALITY-FOREIGN AND INSULAR-COUNTRIES AND CITIES (untabulated).

Brazil—Ceara.—Month of March, 1911. Population, 55,000. Total number of deaths from all causes 159, including tuberculosis 19.

Canada—Sherbrooke.—Month of April, 1911. Population, 16,000. Total number of deaths from all causes 20, including diptheria 1, tuberculosis 4, typhoid fever 1.

CHILE—Punta Arenas.—Month of March, 1911. Population, 12,000. Total number of deaths from all causes not reported. The deaths include tuberculosis 3.

France—Nice.—Month of January, 1911. Population, 150,881. Total number of deaths from all causes 408, including measles 51, tuberculosis 34, typhoid fever 1.

Toulon.—Month of March, 1911. Population, 103,549. Total number of deaths from all causes 147, including typhoid fever 1.

GREAT BRITAIN.—Week ended April 29, 1911.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 14.3 per 1,000 of the population which is estimated at 17,160,256.

May 26, 1911 798

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 20.8 per 1,000 of the population which is estimated at 1,163,596. The lowest rate was recorded at Drogheda, viz, 4.1, and the highest at Newry, viz, 37.8 per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 19.1 per 1,000 of the population which is estimated at 1,710,376. The lowest rate was recorded at Leith, viz, 14.9 and the highest at Perth, viz, 23.3 per 1,000. The total number of deaths from all causes was 625, including diphtheria 5, measles 10, scarlet fever 1, typhoid fever 1.

ITALY—Genoa.—Two weeks ended April 30, 1911. Population, 279,163. Total number of deaths from all causes 274, including diphtheria 5, measles 7, tuberculosis 25.

Jamaica—Kingston.—Month of April, 1911. Population, 53,053. Total number of deaths from all causes 205, including tuberculosis 11.

Spain—Almeria.—Month of April, 1911. Population, 50,910. Total number of deaths from all causes not reported. The deaths include diphtheria 1, tuberculosis 3, typhoid fever 2.

Barcelona.—Period from April 24 to May 5, 1911. Population, 591,272. Total number of deaths from all causes 400 (estimated), including diphtheria 2, tuberculosis 46, typhoid fever 3.

Seville.—Month of April, 1911. Population, 154,315. Total number of deaths from all causes 496, including diphtheria 6, measles 17, smallpox 2, tuberculosis 78, typhoid fever 1.

Tahiti.—Two weeks ended April 28, 1911. Population, 4,000. Total number of deaths from all causes 4. No deaths from contagious disease.

By authority of the Secretary of the Treasury:

WALTER WYMAN,
Surgeon General,

United States Public Health and Marine-Hospital Service.